



CALCUTTA SCHOOL OF TROPICAL MEDICINE

GOVERNMENT OF WEST BENGAL

108 Chittaranjan Avenue, Kolkata - 700073

Phone : 033 2212 3695/96/97 Fax : 033 2212 3698

Website : stmkkolkata.org

KolkataMemo No.STM/STORE/QUOTE/208/2022-23

QUOTATION NOTICE

Date:15.03.2023

Sealed QUOTATIONS are invited from the Reputed Company/Direct Importers/Authorized distributor firms for supply of items as mentioned below at the Microbiology (Virology Unit) School of Tropical Medicine, Kolkata.
The QUOTATION is to be submitted in the drop box which will be kept at the office chamber of the undersigned on all working days from 16.03.2023

The last date of submission of QUOTATION is 21 .03.2023 up to 12.00 pm and the same will be opened on the same date at 2.00 pm in presence of interested bidder , if any. The bidders will submit the QUOTATION in their own official pad along with the following essential documents :

Valid Trade License / Enlistment
PAN card of the Bidder /Bidder Company
GST Registration certificate
IT Return of the last financial year

The financial quotation Should be quoted as per the following table only :-

Item	Unit Price	GST	Total price
------	------------	-----	-------------

Physical verification of samples and or physical demonstration may be done at the discretion of the hospital authority by a team of expert to adjudge the applicability or suitability of the product or products in the functional requirement of the patients since the items are life savings and the technical evaluation will be done accordingly in close observation of the product or products, technical brochures along with Test certificate produced and physical sampling thereof.

Quotation Drop box STM Main Building (2nd floor) MSVP Office .Monday to Friday At 11am To 4pm and Saturday at 11am to 2pm except Sundays and holidays.

No hand written document accepted only printed documents submitted.

SL No	Item
1	Acute viral Respiratory tract infection detection RT- PCR kits. The kit should be able to detect the Nucleic Acid of the following pathogens- (Human parechovirus, Human coronavirus (alpha & Beta), Human Parainfluenza 1-4 virus, Influenza Virus Type A, Pandemic HINI Influenza virus, H3N2 Virus, Type B Influenza virus, Type C Influenza virus Enterovirus, Human Metapneumo Virus, Adeno Virrus, Human Respiratory Syncytial Virus A & B, Human Rhino Virus, Human Boca Virus) . (48 Reactions)

Specifications Attached in Annexure - 1`

Rnr 15/3/2023

Medical Superintendent cum Vice Principal,
School of Tropical Medicine, Kolkata

MSVP
School of Tropical Medicine
Kolkata



ANNEXURE I

Specifications for RT-PCR kits :

- Should be in a kit format.
- Should be CE_IVD certified with documentary evidence
- Bids must include external quality assurance results for performance evaluation
- Should have RNase P gene primer probe mix in the kit that runs by default with every test – RNase P should not be confused with any other control running outside the sample PCR tube

Kit Should be able to detect following targets on Real Time PCR:

- Human parechovirus, Human coronavirus (Alpha & Beta), Human Parainfluenza 1 Virus, Human Parainfluenza 2 Virus, Human Parainfluenza 3 Virus, Human Parainfluenza 4 Virus, Influenza Virus Type A, Pandemic H1N1 influenza Virus, H3N2 Virus, Type B Influenza Virus, Type C Influenza Virus Enterovirus, Human Metapneumo Virus, Adeno Virus, Human Respiratory Syncytial Virus A&B, Human Rhino Virus, Human Boca Virus.
- Kit should be multiple tube format so that each target can be detected and differentiated easily.
- Should have positive control in the kit and not to be purchased separately
- Kits must be compatible with ABI 7500Fast Dx, CFX96, which documentary evidence must be provided from the manufacturer along with programming guidebooks / manuals from the manufacturer, without needing any additional software to be purchased.
- The kits should have extended stability of at least 12 months from the date of manufacture and documentary evidence from the manufacturer
- Should be validated from respiratory samples by the manufacturer
- Should detect and differentiate between the pathogens by targeting the specific gene
- Must have a lower limit of detection less than 50 RNA/DNA copies per reaction
- Should use common channels FAM, ROX, HEX, JOE or VIC for detection and not specific machine dependent channels for highest sensitivity

B Bandyopadhyay

14/03/2023



CALCUTTA SCHOOL OF TROPICAL MEDICINE

GOVERNMENT OF WEST BENGAL
108 Chittaranjan Avenue, Kolkata - 700073
Phone : 033 2212 3695/96/97 Fax : 033 2212 3698
Website : stmkkolkata.org

Memo No. STM/STORE/QUOTE/209/2022-23

Date: 15.03.2023

QUOTATION NOTICE

Sealed QUOTATIONS are invited from the Reputed Company/Direct Importers/Authorized distributor firms for supply of items as mentioned below at the Virology, School of Tropical Medicine, Kolkata

The QUOTATION is to be submitted in the drop box which will be kept at the office chamber of the undersigned on all working days from 16.03.2023.

The last date of submission of QUOTATION is 21.03.2023 up to 12 pm and the same will be opened on the same date at 1 pm in presence of interested bidder, if any. The bidders will submit the QUOTATION in their own official pad along with the following essential documents:

Valid Trade License / Enlistment
PAN card of the Bidder /Bidder Company
GST Registration certificate
IT Return of the last financial year

The financial quotation should be quoted as per the following table only :-

Item	Unit Price	GST	Total price
------	------------	-----	-------------

Physical verification of samples and or physical demonstration may be done at the discretion of the hospital authority by a team of expert to adjudge the applicability or suitability of the product or products in the functional requirement of the patients since the items are life savings and the technical evaluation will be done accordingly in close observation of the product or products, technical brochures along with Test certificate produced and physical sampling thereof.

The Quotation should be dropped in the Drop Box kept at the Office of the MSVP (2nd Floor, Main Building). On Monday to Friday between 11 am to 4 pm and Saturday at 11 am to 2 pm except Sunday and holidays.

No hand written document accepted only printed documents submitted.

SL. No.	Item Name	Quantity
1	Total Nucleic acid extraction kit	250 Reactions

Ru 15/3/2023

Medical Superintendent Cum Vice Principal
School of Tropical Medicine, Kolkata

Prof. Rupali Dey
Medical Superintendent Cum Vice Principal
Calcutta School of Tropical Medicine
Kolkata-700073





CALCUTTA SCHOOL OF TROPICAL MEDICINE

GOVERNMENT OF WEST BENGAL

108 Chittaranjan Avenue, Kolkata - 700073

Phone : 033 2212 3695/96/97 Fax : 033 2212 3698

Website : stmolkata.org

Memo No. STM/STORE/QUOTE/210/2022-23

Date: 15.03.2023

QUOTATION NOTICE

Sealed QUOTATIONS are invited from the Reputed Company/Direct Importers/Authorized distributor firms for supply of items as mentioned below at the **Virology, School of Tropical Medicine, Kolkata**

The QUOTATION is to be submitted in the drop box which will be kept at the office chamber of the undersigned on all working days from **16.03.2023**.

The last date of submission of QUOTATION is **21.03.2023 up to 12 pm** and the same will be opened on the same date at 1 pm in presence of interested bidder, if any. The bidders will submit the QUOTATION in their own official pad along with the following essential documents:

Valid Trade License / Enlistment
PAN card of the Bidder /Bidder Company
GST Registration certificate
IT Return of the last financial year

The financial quotation should be quoted as per the following table only :-

Item	Unit Price	GST	Total price
------	------------	-----	-------------

Physical verification of samples and or physical demonstration may be done at the discretion of the hospital authority by a team of expert to adjudge the applicability or suitability of the product or products in the functional requirement of the patients since the items are life savings and the technical evaluation will be done accordingly in close observation of the product or products, technical brochures along with Test certificate produced and physical sampling thereof.

The Quotation should be dropped in the Drop Box kept at the Office of the MSVP (2nd Floor, Main Building). On Monday to Friday between 11 am to 4 pm and Saturday at 11 am to 2 pm except Sunday and holidays.

No hand written document accepted only printed documents submitted.

SL. No.	Item Name	Quantity
1	Rhino & Entero Virus wet master mix	100 Reactions

ENCLOSED ANNEXURE I

Rmr 15/3/2023

Medical Superintendent Cum Vice Principal
School of Tropical Medicine, Kolkata

Prof. Rupali Dey
Medical Superintendent Cum Vice Principal
Calcutta School of Tropical Medicine
Kolkata-700073



ANNEXURE I

Specifications for RT-PCR kits :

- Should be in a kit format.
- Should have internal control/Rnase P primer probe mix in the kit that runs by default with every test – internal control / Rnase P should not be confused with any other control running outside the sample PCR tube
 - Kit Should be able to detect Rhino & Entero Virus gene target on Real Time PCR
- Should have positive control in the kit and not to be purchased separately
- Kits must be compatible with ABI 7500 Fast Dx, CFX96(Biorad), which documentary evidence must be provided from the manufacturer along with programming guidebooks / manuals from the manufacturer, without needing any additional software to be purchased.
- The kits should have extended stability of at least 12 months from the date of manufacture and documentary evidence from the manufacturer
- Should be validated from respiratory samples by the manufacturer
- Should detect and differentiate between the pathogens by targeting the specific gene
- Must have a lower limit of detection less than 50 RNA copies per reaction
- Should use common channels FAM, ROX, HEX, JOE or VIC for detection and not specific machine dependent channels for highest sensitivity



CALCUTTA SCHOOL OF TROPICAL MEDICINE

GOVERNMENT OF WEST BENGAL

108 Chittaranjan Avenue, Kolkata - 700073

Phone : 033 2212 3695/96/97 Fax : 033 2212 3698

Website : stmkkolkata.org

Memo No. STM/STORE/QUOTE/211/2022-23

Date: 15.03.2023

QUOTATION NOTICE

Sealed QUOTATIONS are invited from the Reputed Company/Direct Importers/Authorized distributor firms for supply of items as mentioned below at the **Virology, School of Tropical Medicine, Kolkata**

The QUOTATION is to be submitted in the drop box which will be kept at the office chamber of the undersigned on all working days from **16.03.2023**.

The last date of submission of QUOTATION is **21.03.2023 up to 12 pm** and the same will be opened on the same date at 1 pm in presence of interested bidder, if any. The bidders will submit the QUOTATION in their own official pad along with the following essential documents:

- Valid Trade License / Enlistment
- PAN card of the Bidder /Bidder Company
- GST Registration certificate
- IT Return of the last financial year

The financial quotation should be quoted as per the following table only :-

Item	Unit Price	GST	Total price
------	------------	-----	-------------

Physical verification of samples and or physical demonstration may be done at the discretion of the hospital authority by a team of expert to adjudge the applicability or suitability of the product or products in the functional requirement of the patients since the items are life savings and the technical evaluation will be done accordingly in close observation of the product or products, technical brochures along with Test certificate produced and physical sampling thereof.

The Quotation should be dropped in the Drop Box kept at the Office of the MSVP (2nd Floor, Main Building). On Monday to Friday between 11 am to 4 pm and Saturday at 11 am to 2 pm except Sunday and holidays.

No hand written document accepted only printed documents submitted.

SL. No.	Item Name	Quantity
1	Adeno Virus wet master mix	150 Reactions

ENCLOSED ANNEXURE I

Rupali Dey 15/3/2023

Medical Superintendent Cum Vice Principal
School of Tropical Medicine, Kolkata

Prof. Rupali Dey
Medical Superintendent Cum Vice Principal
Calcutta School of Tropical Medicine
Kolkata-700073



ANNEXURE I

Specifications for RT-PCR kits :

- Should be in a kit format.
- Should have internal control/Rnase P primer probe mix in the kit that runs by default with every test – internal control / Rnase P should not be confused with any other control running outside the sample PCR tube
 - Kit Should be able to detect Adeno Virus gene target on Real Time PCR
- Should have positive control in the kit and not to be purchased separately
- Kits must be compatible with ABI 7500 Fast Dx, CFX96(Biorad), which documentary evidence must be provided from the manufacturer along with programming guidebooks / manuals from the manufacturer, without needing any additional software to be purchased.
- The kits should have extended stability of at least 12 months from the date of manufacture and documentary evidence from the manufacturer
- Should be validated from respiratory samples by the manufacturer
- Should detect and differentiate between the pathogens by targeting the specific gene
- Must have a lower limit of detection less than 50 DNA copies per reaction
- Should use common channels FAM, ROX, HEX, JOE or VIC for detection and not specific machine dependent channels for highest sensitivity



CALCUTTA SCHOOL OF TROPICAL MEDICINE

GOVERNMENT OF WEST BENGAL
108 Chittaranjan Avenue, Kolkata - 700073
Phone : 033 2212 3695/96/97 Fax : 033 2212 3698
Website : stmkolkata.org

Memo No. STM/STORE/QUOTE/212/2022-23

Date: 15.03.2023

QUOTATION NOTICE

Sealed QUOTATIONS are invited from the Reputed Company/Direct Importers/Authorized distributor firms for supply of items as mentioned below at the Virology, School of Tropical Medicine, Kolkata

The QUOTATION is to be submitted in the drop box which will be kept at the office chamber of the undersigned on all working days from 16.03.2023.

The last date of submission of QUOTATION is 21.03.2023 up to 12 pm and the same will be opened on the same date at 1 pm in presence of interested bidder, if any. The bidders will submit the QUOTATION in their own official pad along with the following essential documents:

Valid Trade License / Enlistment
PAN card of the Bidder / Bidder Company
GST Registration certificate
IT Return of the last financial year

The financial quotation should be quoted as per the following table only :-

Item	Unit Price	GST	Total price
------	------------	-----	-------------

Physical verification of samples and or physical demonstration may be done at the discretion of the hospital authority by a team of expert to adjudge the applicability or suitability of the product or products in the functional requirement of the patients since the items are life savings and the technical evaluation will be done accordingly in close observation of the product or products, technical brochures along with Test certificate produced and physical sampling thereof.

The Quotation should be dropped in the Drop Box kept at the Office of the MSVP (2nd Floor, Main Building). On Monday to Friday between 11 am to 4 pm and Saturday at 11 am to 2 pm except Sunday and holidays.

No hand written document accepted only printed documents submitted.

SL. No.	Item Name	Quantity
1	RSV A & B Virus wet master mix	50 Reactions

ENCLOSED ANNEXURE I

Roy 15/3/2023
Medical Superintendent Cum Vice Principal
School of Tropical Medicine, Kolkata
Prof. Rupali Dey
Medical Superintendent Cum Vice Principal
Calcutta School of Tropical Medicine
Kolkata-700073



ANNEXURE I

Specifications for RT-PCR kits :

- Should be in a kit format.
- Should have internal control/Rnase P primer probe mix in the kit that runs by default with every test – internal control / Rnase P should not be confused with any other control running outside the sample PCR tube
 - Kit Should be able to detect RSV A & B Virus gene target on Real Time PCR
- Should have positive control in the kit and not to be purchased separately
- Kits must be compatible with ABI 7500 Fast Dx, CFX96(Biorad), which documentary evidence must be provided from the manufacturer along with programming guidebooks / manuals from the manufacturer, without needing any additional software to be purchased.
- The kits should have extended stability of at least 12 months from the date of manufacture and documentary evidence from the manufacturer
- Should be validated from respiratory samples by the manufacturer
- Should detect and differentiate between the pathogens by targeting the specific gene
- Must have a lower limit of detection less than 50 RNA copies per reaction
- Should use common channels FAM, ROX, HEX, JOE or VIC for detection and not specific machine dependent channels for highest sensitivity



CALCUTTA SCHOOL OF TROPICAL MEDICINE

GOVERNMENT OF WEST BENGAL

108 Chittaranjan Avenue, Kolkata - 700073

Phone : 033 2212 3695/96/97 Fax : 033 2212 3698

Website : stmkolkata.org

Memo No. STM/STORE/QUOTE/213/2022-23

Date: 15.03.2023

QUOTATION NOTICE

Sealed QUOTATIONS are invited from the Reputed Company/Direct Importers/Authorized distributor firms for supply of items as mentioned below at the **Virology, School of Tropical Medicine, Kolkata**

The QUOTATION is to be submitted in the drop box which will be kept at the office chamber of the undersigned on all working days from **16.03.2023**.

The last date of submission of QUOTATION is **21.03.2023 up to 12 pm** and the same will be opened on the same date at 1 pm in presence of interested bidder, if any. The bidders will submit the QUOTATION in their own official pad along with the following essential documents:

Valid Trade License / Enlistment
PAN card of the Bidder /Bidder Company
GST Registration certificate
IT Return of the last financial year

The financial quotation should be quoted as per the following table only :-

Item	Unit Price	GST	Total price
------	------------	-----	-------------

Physical verification of samples and or physical demonstration may be done at the discretion of the hospital authority by a team of expert to adjudge the applicability or suitability of the product or products in the functional requirement of the patients since the items are life savings and the technical evaluation will be done accordingly in close observation of the product or products, technical brochures along with Test certificate produced and physical sampling thereof.

The Quotation should be dropped in the Drop Box kept at the Office of the MSVP (2nd Floor, Main Building). On Monday to Friday between 11 am to 4 pm and Saturday at 11 am to 2 pm except Sunday and holidays.

No hand written document accepted only printed documents submitted.

SL. No.	Item Name
1	InBios International, Inc, Scrub Typhus Detect™ IgM ELISA Test kit (96 Reactions)

Rupali 15/3/2023
Medical Superintendent Cum Vice Principal
School of Tropical Medicine, Kolkata

Prof. Rupali Dey
Medical Superintendent Cum Vice Principal
Calcutta School of Tropical Medicine
Kolkata-700073





CALCUTTA SCHOOL OF TROPICAL MEDICINE

GOVERNMENT OF WEST BENGAL

108 Chittaranjan Avenue, Kolkata - 700073

Phone : 033 2212 3695/96/97 Fax : 033 2212 3698

Website : stmkolkata.org

Memo No. STM/STORE/QUOTE/214/2022-23

Date: 15.03.2023

QUOTATION NOTICE

Sealed QUOTATIONS are invited from the Reputed Company/Direct Importers/Authorized distributor firms for supply of items as mentioned below at the **Virology, School of Tropical Medicine, Kolkata**

The QUOTATION is to be submitted in the drop box which will be kept at the office chamber of the undersigned on all working days from **16.03.2023**.

The last date of submission of QUOTATION is **21.03.2023 up to 12 pm** and the same will be opened on the same date at 1 pm in presence of interested bidder, if any. The bidders will submit the QUOTATION in their own official pad along with the following essential documents:

Valid Trade License / Enlistment
PAN card of the Bidder /Bidder Company
GST Registration certificate
IT Return of the last financial year

The financial quotation should be quoted as per the following table only :-

Item	Unit Price	GST	Total price
------	------------	-----	-------------

Physical verification of samples and or physical demonstration may be done at the discretion of the hospital authority by a team of expert to adjudge the applicability or suitability of the product or products in the functional requirement of the patients since the items are life savings and the technical evaluation will be done accordingly in close observation of the product or products, technical brochures along with Test certificate produced and physical sampling thereof.

The Quotation should be dropped in the Drop Box kept at the Office of the MSVP (2nd Floor, Main Building). On Monday to Friday between 11 am to 4 pm and Saturday at 11 am to 2 pm except Sunday and holidays.

No hand written document accepted only printed documents submitted.

SL. No.	Item Name
1	Acute Viral Respiratory tract infection detection RT- PCR kits .The kit should be able to detect the Nucleic Acid of the following pathogens- (Human parechovirus, Human coronavirus (Alpha & Beta), Human Parainfluenza 1-4 Virus, Influenza Virus Type A, Pandemic H1N1 influenza Virus, H3N2 Virus , Type B Influenza Virus, Type C Influenza Virus, Enterovirus, Human Metapneumo Virus, Adeno Virus, Human Respiratory Syncytial Virus A&B, Human Rhino Virus, Human Boca Virus). (48 Reactions)

ENCLOSED ANNEXURE I

Rm 15/3/2023

Medical Superintendent Cum Vice Principal
School of Tropical Medicine, Kolkata

Medical Superintendent Cum Vice Principal



Scanned with OKEN Scanner

ANNEXURE I

Specifications for RT-PCR kits :

- Should be in a kit format.
- Should be CE_IVD certified with documentary evidence
- Bids must include external quality assurance results for performance evaluation
- Should have RNase P gene primer probe mix in the kit that runs by default with every test – RNase P should not be confused with any other control running outside the sample PCR tube

Kit Should be able to detect following targets on Real Time PCR:

- Human parainfluenza 1 Virus, Human Parainfluenza 2 Virus, Human Parainfluenza 3 Virus, Human Parainfluenza 4 Virus, Influenza Virus Type A, Pandemic H1N1 influenza Virus, H3N2 Virus , Type B Influenza Virus, Type C Influenza Virus Enterovirus, Human Metapneumo Virus, Adeno Virus, Human Respiratory Syncytial Virus A&B, Human Rhino Virus, Human Boca Virus.
- Kit should be multiple tube format so that each target can be detected and differentiated easily.
- Should have positive control in the kit and not to be purchased separately
- Kits must be compatible with ABI 7500Fast Dx, CFX96, which documentary evidence must be provided from the manufacturer along with programming guidebooks / manuals from the manufacturer, without needing any additional software to be purchased.
- The kits should have extended stability of at least 12 months from the date of manufacture and documentary evidence from the manufacturer
- Should be validated from respiratory samples by the manufacturer
- Should detect and differentiate between the pathogens by targeting the specific gene
- Must have a lower limit of detection less than 50 RNA/DNA copies per reaction
- Should use common channels FAM, ROX, HEX, JOE or VIC for detection and not specific machine dependent channels for highest sensitivity